

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9058	707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:07
L2	0	"668838".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:07
L3	11354	((client patient customer person user) NEAR3 ("ID" identification identify\$3 identifier number)) SAME (search\$3 query\$3) SAME (database data?base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:44
L4	165	((client patient customer person user) NEAR3 ("ID" identification identify\$3 identifier number)) SAME (search\$3 query\$3) SAME (database data?base) SAME ((merg\$3 merge) join)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:42
L5	4	((client patient customer person user) NEAR3 ("ID" identification identify\$3 identifier number)) SAME (search\$3 query\$3) SAME (database data?base) SAME ((merg\$3 merge) join) SAME (constraint\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:15
L6	7	("6240421" "6631432").pn. "20040019892" "10455294".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:31
L7	38	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:31
L8	22	((client patient customer person user) NEAR3 ("ID" identification identify\$3 identifier number) NEAR3 (value information data)) SAME (search\$3 query\$3) SAME (database data?base) SAME ((merg\$3 merge) join)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:17

EAST Search History

L9	4	1 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:17
L10	174	((client patient customer person user) NEAR3 ("ID" identification identify\$3 identifier number)) SAME (search\$3 query\$3) SAME (database data?base)) and ((ticket\$1 OR travel\$3) WITH (book\$3 OR reserv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:46
L11	0	(search\$3 OR quer\$3) SAME (((less greater) near2 than) with (operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:46
L12	0	(search\$3 OR quer\$4) SAME (((less greater) near2 than) with (operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:47
L13	0	(search\$3 OR quer\$4) SAME (((less greater) near2 than) with (operator operand\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:48
L14	0	((less greater) near2 than) with (operator operand\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:48
L15	2951264	(equal "not equal" "greater than" "less than")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:53
L16	137	(customer WITH segment\$5 WITH populat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:55

EAST Search History

L17	6	16 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:56
L18	0	1 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:56

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google

searching with (customer OR travel) identificat

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **1,760,000** for **searching with (customer OR travel) identification number**. (0.20 s)

Membership Help Screen

To log in: In the **Customer ID Number** field ,enter your 8 digit **customer ID number**, ... Likewise, with a member **search**, instead of **searching** for all U.S. ...

www.worldatworksociety.org/society/home/html/loginhelp.html - 50k - [Cached](#) - [Similar pages](#)

Sponsored Links

Identification Numbers

Get Identification Numbers

Search for Identification Numbers

www.Ask.com

Best People Search.com - reverse look up by phone or address

This report includes all the **customer identification** information in the Order this how can i find a federal tax **id number search** using the form below. ...

www.bestpeoplesearch.com/ - 76k - [Cached](#) - [Similar pages](#)

US MadMixer

If you visit the MadMixer site via computer you can use your **Customer ID number** to customize the site for your use, and to create lists of MadTones that can ...

[us.madsongs.com/text.php?text=howitworks&](http://us.madsongs.com/text.php?text=howitworks&PHPSessID=69ae4ef7fd23d10f699192a9aeb6a6d)

[PHPSessID=69ae4ef7fd23d10f699192a9aeb6a6d](http://us.madsongs.com/text.php?text=howitworks&PHPSessID=69ae4ef7fd23d10f699192a9aeb6a6d) - 24k - [Cached](#) - [Similar pages](#)

Travel ID, Ticket and Document Pouches

This makes juggling your **travel** documents a breeze and makes it less likely you'll join the growing **number** of people that leave their **ID** behind at security ...

www.thetravelinsider.info/2003/0418.htm - 51k - [Cached](#) - [Similar pages](#)

[PDF] Introduction Searching for a Vendor or Customer A Description of ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

in order to narrow your **search**. • Vendor. **Customer** (#). • VSS Registered? ... o Taxpayer **ID Number**: The taxpayer. **identification number** from the1099 ...

www.maine.gov/.../AdvantageME/RefCard_Searching%20for%20a%20VendorCustomer%20number_Reference%20Guide.pdf - [Similar pages](#)

Q2: Where is the Hull Identification Number?

Your ASHP **Identification Number** is your unique Member **ID number**, Subscriber **ID number**, or **Customer ID number**. If you subscribe to AJHP, this **number** is ...

www.querycat.com/faq/4a346a60dd25116c6245286137f3318a - 28k -

[Cached](#) - [Similar pages](#)

PPS FAQ

Because you lose the benefit of **searching** listings before the meeting and Your ASHP **ID#** is the **Customer Number** that appears right above your Username. ...

pps.ashp.org/faq.cfm - 48k - [Cached](#) - [Similar pages](#)

Federal Employer Identification Numbers (FEIN)

For example, take the following steps to find Procter & Gamble's Federal Employer **Identification Number**:. Click Power **Search** on the LexisNexis® at ...

support.lexis-nexis.com/nexis/record.asp?ArticleID=nexis_FEIN_search_forms - 19k -

[Cached](#) - [Similar pages](#)

Iridian Technologies : Products : KnoWho Authentication Server

Performance: **Search** >285000 records/second using 2.2 GHz Dual Pentium system. ...

CIN: **Customer Identification Number** / EIN: **Employee Identification Number** ...

www.irdiantech.com/products.php?page=2 - 15k - [Cached](#) - [Similar pages](#)

ITSportsNet - Support Center

Introduction; **Customer Number**; **Searching** for Solutions; Opening a Case ... have your

Customer ID and **Case Number** ready to share with the support person. ...

www.itsportsnet.com/corp/SupportCenter.php - 12k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google

(searching OR sorting) with (customer OR trav

Search

[Advanced Search](#)
[Preferences](#)

Web [Books](#) Results 1 - 10 of about 1,780,000 for (searching OR sorting) with (customer OR travel) identif

Book results for (searching OR sorting) with (customer OR travel) identification number



[Order-Fulfillment and Across-The-Dock Concepts ...](#) - by David E. Mulcahy, John Dieltz - 744 pages
[Recent Trends in Multimedia Information Processing](#) - by Panos Liatsis - 592 pages
[Techone](#) - by Don Knowles - 697 pages

Sponsored Links

Identification Numbers

[Get Identification Numbers](#)
[Search for Identification Numbers](#)
[www.Ask.com](#)

Membership Help Screen

To log in: In the **Customer ID Number** field ,enter your 8 digit **customer ID number**, ... The result set is dependent on the search criteria and the **sorting** ...

[www.worldatworksociety.org/society/home/html/loginhelp.html](#) - 50k -

[Cached](#) - [Similar pages](#)

(PDF) Introduction Searching for a Vendor or Customer A Description of ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

o **Taxpayer ID Number**: The taxpayer. **identification number** from the1099 ... **Searching** for a Vendor or. **Customer**. o **Alias/DBA**: The alternate name, alias or ...
[www.maine.gov/.../AdvantageME/RefCard_Searching%20for%20a%20VendorCustomer%20number_Reference%20Guide.pdf](#) - [Similar pages](#)

Q2: Where is the Hull Identification Number?

Your ASHP **Identification Number** is your unique Member **ID number**, Subscriber **ID number**, or **Customer ID number**. If you subscribe to AJHP, this **number** is ...

[www.querycat.com/faq/4a346a60dd25116c6245286137f3318a](#) - 28k -

[Cached](#) - [Similar pages](#)

Searching the Pesticide Data Index Database

If you are **searching** for multiple chemicals and check the "All studies must ... Study **ID Number** - When data are indexed, DPR assigns each individual study ...

[www.cdpr.ca.gov/docs/registration/dataindex/readme.html](#) - 27k - [Cached](#) - [Similar pages](#)

W3 Data - Customer Identification Solutions for Call Centers

Inbound calls trigger reverse phone **number** searches that return accurate name ...

Enhanced **searching**, **sorting** and saving; Significantly less expensive than ...

[www.w3data.com/call-centers](#) - 8k - [Cached](#) - [Similar pages](#)

(PPT) e Mass Post Relaunch

File Format: Microsoft Powerpoint - [View as HTML](#)

MAIL ID is:; A code 128 barcode, based on UPU standard 17; containing a unique **MAIL ID number**, uniquely describing the **customer** and the mail piece ...

[www.upu.int/standards/en/02c_la-poste-belge_y-remy_en.ppt](#) - [Similar pages](#)

Process and installation for sorting individual goods - Patent 5799800

The individual **identification number** fastened securely in each item of clothing is read and The following three collecting zones="customer **sorting**", ...

[www.freepatentsonline.com/5799800.html](#) - 49k - [Cached](#) - [Similar pages](#)

A fast natural algorithm for searching

Sorting and **searching** a database ... (b) final state (after **sorting**). Represent **customer ID** with rows of beads in frame 1; see Fig. 7. (We assume that ...
linkinghub.elsevier.com/retrieve/pii/S0304397504001914 - [Similar pages](#)

Method and system for **searching** form features for form ...
Method and system for **searching** form features for form **identification Number:6950553** from the United States Patent and Trademark Office (PTO) owispatent The ...
www.linkgrinder.com/Patents/Method_and_syst_6950553.html - 117k - [Cached](#) - [Similar pages](#)

ITSportsNet - Support Center

Introduction; **Customer Number**; **Searching** for Solutions; Opening a Case ... have your **Customer ID** and **Case Number** ready to share with the support person. ...
www.itsportsnet.com/corp/SupportCenter.php - 12k - [Cached](#) - [Similar pages](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

(searching OR sorting) with (customer OR travel) identification number **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google

(searching OR sorting) with (customer OR trav

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **1,750,000** for **(searching OR sorting) with (customer OR travel) identification nu**

Searching the Pesticide Data Index Database

If you are **searching** for multiple chemicals and check the "All studies must ... Study ID Number - When data are indexed, DPR assigns each individual study ...

www.cdpr.ca.gov/docs/registration/dataindex/readme.html - 27k -

[Cached](#) - [Similar pages](#)

(WO/2000/068860) METHOD OF SOCIAL NETWORK GENERATION FOR CUSTOMER ...

D. **sorting** said aggregated records on the aggregated attribute from the ... a **customer-to-customer** cross-reference file by **customer identification** and ...

[www.wipo.int/pctdb/en/wo.jsp?IA=WO2000%2F068860&WO=2000%](http://www.wipo.int/pctdb/en/wo.jsp?IA=WO2000%2F068860&WO=2000%2F068860&DISPLAY=CLAIMS)

[2F068860&DISPLAY=CLAIMS](#) - 28k - [Cached](#) - [Similar pages](#)

Membership Help Screen

To log in: In the **Customer ID Number** field ,enter your 8 digit **customer ID number**, ...

Searching the Directory. Note: This **database** is intended for use by ...

www.worldatworksociety.org/society/home/html/loginhelp.html - 50k -

[Cached](#) - [Similar pages](#)

[PDF] ERRATA for Database System Concepts, 5 Edition Silberschatz, Korth ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

depositor = (**customer id**, account **number**, access date). cust banker = (**customer id**, employee **id**, In "**Sorting** the relation **customer** ... 400 □ (2□log ...

codex.cs.yale.edu/avi/db-book/online-dir/db-errata.pdf - [Similar pages](#)

IBM z/Transaction Processing Facility

The **customer ID number** is the key for the collection and the data consists ... As an example of using a sorted bag, consider the **customer database** from the ...

www-306.ibm.com/software/http/tpf/news/nv5n4/v5n4a10.htm - 26k -

[Cached](#) - [Similar pages](#)

Database design tutorial - Tables and the primary key

An invoice **number** could be used as a primary key in a **database** table that stores invoices that have been sent. A **customer ID** is used in many cases as a ...

www.tekstenuitleg.net/en/articles/database_design_tutorial/5 - 9k - [Cached](#) - [Similar pages](#)

Digital Web Magazine - Introduction to Databases

Down the left side you might have **customer identification numbers**, ... This is how you would tell an SQL-friendly **database** to create your "clients" table: ...

www.digital-web.com/articles/introduction_to_databases/ - 21k - [Cached](#) - [Similar pages](#)

[PPT] e Mass Post Relaunch

File Format: Microsoft Powerpoint - [View as HTML](#)

MAIL ID is:; A code 128 barcode, based on UPU standard 17; containing a unique MAIL ID **number**, uniquely describing the **customer** and the mail piece ...

www.upu.int/standards/en/02c_la-poste-belge_y-remy_en.ppt - [Similar pages](#)

Sponsored Links

searching database

Keyword driven multi **database** search engine. Download free trial www.sqlone.com

Identification Numbers

Get **Identification Numbers**
Search for **Identification Numbers**
www.Ask.com

Iridian Technologies : Products : KnoWho Authentication Server

The server's software has two major elements - a **database** component, CIN: **Customer Identification Number** / EIN: **Employee Identification Number** ...

www.iridiantech.com/products.php?page=2 - 15k - [Cached](#) - [Similar pages](#)

Manufacturers Identification Code (MIC) Database

The Coast Guard maintains a searchable **database** of all recreational boat ... **Searching by MIC: Hull Identification Numbers** (HIN) are required on all boats ...

www.uscgboating.org/recalls/mic_database.htm - 21k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)